HP Jet Fusion 5200 Series 3D Printing Solutions





HP Jet Fusion 5200 Series 3D Printing Solutions

Unleash new growth and scale production with HP's most advanced plastics 3D printing solution

Ideal for mid-volume production environments

Learn more at

hp.com/go/3DPrinter5200

Manufacturing predictability

- Get quality—from fine detail and sharp edges to textures—and optimal yield at industrial-level OEE.
- Produce functional parts with bestin-class isotropy.
- Maximize your equipment uptime, with redundant components, preventive maintenance and support, and HP productivity services.



Breakthrough economics




Uniquely predictable and consistent print time for any


 type of part.
 Streamlined workflow and HP's most economical continuous 3D printing with automated materials mixing, enclosed processing station, and natural cooling unit.





Expand into new applications and markets





- Deliver a breadth of applications for various markets with HP 3D High Reusability PA 11 and PA 12 materials today, and more in the future.¹
- Address sustainability, with lower carbon footprint parts,² and HP 3D materials offering industry-leading reusability.¹











Software solutions

HP 3D Process Control

HP 3D Center

HP SmartStream 3D Build Manager


Integration with industry-leading software partners



Achieve dimensional accuracy and repeatability that rivals industrial tooling—faster.



Flexibility and agility—without time- and labor-intensive injection molding fine-tuning steps.



Track, manage, and optimize your 3D operations with software that provides remote, real-time monitoring; preventive notifications; and historical data analysis.



Quickly and easily prepare your jobs for printing with all the elements you need.







Autodesk® Netfabb® with HP Workspace

Materialise Build Processor for HP Multi Jet Fusion technology

Siemens NX AM for HP Multi Jet Fusion technology

New materials and applications—new growth opportunities

Expand into new applications and markets with a growing portfolio of HP 3D materials that enable you to produce a variety of low-cost, quality parts—and address sustainability objectives with industry-leading reusability.

HP 3D High Reusability PA 11—ductile,³ quality parts

Produce functional parts with impact resistance and ductility.³ This thermoplastic material, made from renewable sources,⁴ provides optimal mechanical properties and consistent performance at industry-leading surplus powder reusability.¹

Statements: ⁵ Biocompatibility, REACH, RoHS (for EU, Bosnia-Herzegovina, China, India, Japan, Jordan, Korea, Serbia, Singapore, Turkey, Ukraine, Vietnam), PAHs, Statement of Composition for Toy Applications





HP 3D High Reusability PA 12 strong, low cost,⁶ quality parts

Reduce total cost of ownership⁷ and produce strong, functional, detailed complex parts with HP 3D High Reusability PA 12, a robust thermoplastic that enables industry-leading surplus powder reusability.¹

Statements: Biocompatibility, REACH, RoHS (for EU, Bosnia-Herzegovina, China, India, Japan, Jordan, Korea, Serbia, Singapore, Turkey, Ukraine, Vietnam), PAHs, Statement of Composition for Toy Applications, UL 94 and UL 746A

HP 3D High Reusability PA 12 Glass Beads—stiff, dimensionally stable, quality parts

Produce stiff, functional parts—while achieving up to 70% surplus powder reusability8—with this glass bead filled thermoplastic material ideal for applications requiring high stiffness and dimensional stability like enclosures and housings, fixtures and tooling.

Statements: REACH, RoHS (for EU, Bosnia-Herzegovina, China, India, Japan, Jordan, Korea, Serbia, Singapore, Turkey, Ukraine, Vietnam), PAHs, UL 94 and UL 746A



Materials Certified for HP Jet Fusion 3D Printing

BASF Ultrasint® TPU01— **flexible, functional parts.** Produce flexible TPU parts, with a high throughput, excellent quality and level of detail, and suitable for a wide range of applications.





HP 3D Printing materials portfolio selection guide

Usage and properties	HP 3D HR PA11	HP 3D HR PA12	HP 3D HR PA 12 GB	BASF Ultrasint® TPU01
Visual aids & presentation models	•	•	•	•
Functional prototyping	•	•	•	•
End-use parts	•	•	•	•
Dimensional stability	•	•	•	•
Functional rigid part (higher stiffness)	•	•	•	•
Ductile part (higher elongation at break)	•	•	•	•
Impact	•	•	•	•
HDT (heat deflection temperature)	•	•	•	•
Medical biocompatibility ⁵ (USP Class I-VI and US FDA guidance for Intact Skin Surface Devices)	•	•	•	•
Look and feel	•	•	•	•
•	•	•	•	•
Excellent	Good	Fair	Not recommended	In testing

For more information, visit: hp.com/go/3Dmaterials

HP recommended post-processing solutions

Girbau DY130 Dyeing Solution¹⁰

With 50 years of experience designing industrial equipment and in the dyeing equipment industry, Girbau offers a post-processing solution for dye finishing made for HP Jet Fusion 5200 Series 3D Printing Solutions.¹⁰













For more information, visit: coloringsystem.girbau.com

Maximize your equipment uptime with HP Jet Fusion 3D Solution Services

Explore new opportunities to scale production and accelerate growth with expert guidance and support from HP Jet Fusion 3D Solution Services.

Maximize uptime, enhance operator knowledge and skill sets through training, and work with HP's productivity experts to achieve your digital manufacturing objectives. Gain expedited access to HP's experts for fast troubleshooting and return to full operating condition in the shortest possible timeframe



- Set your business up for success with HP Digital Manufacturing Productivity Services that evaluate site readiness and provide best practices for production ramp up.
- You're in control with HP 3D Printing Training Services that help your staff improve part design, print quality and yield, troubleshooting, and performance.
- Rely on HP experts to perform installations, upgrades, relocations, and more with HP 3D Printing Lifecycle Services, so you can focus on your core business.
- Leverage remote and onsite support options through HP 3D Printing Care Services. Return your equipment to full operating condition faster with optional four-hour response.

Learn more at

hp.com/go/3DPrinter5200

Accelerate your move to HP 3D Printing with HP Integrated Financial Solutions

Leverage the latest technology to help accelerate your growth, profitability, and competitiveness. Partner with HP Integrated Financial Solutions to help accelerate your time to value. Enjoy the flexibility to meet both your technology and financial plans while allocating your cash to other priorities.

Financing options include a low per-month payment for the HP Jet Fusion 5200 Series 3D Printing Solution, enabling the flexibility to:

- Avoid a large up-front payment
- Align payments with revenue by using deferred or step payment options
- Simplify your administration: bundle hardware and services into a single agreement
- Change as your requirements evolve, refresh every 3–5 years

Financing and service offerings available through Hewlett-Packard Financial Services Company and its subsidiaries and affiliates (collectively HPFSC) in certain countries and is subject to credit approval and execution of standard HPFSC documentation. Rates and terms are based on customer's credit rating, offering types, services and/or equipment type and options. Not all customers may qualify. Not all services or offers are available in all countries. Other restrictions may apply. HPFSC reserves the right to change or cancel this program at any time without notice.

Learn more at

hp.com/go/3DIntegratedFinancialSolutions

HP 3D as a Service (HP 3DaaS)¹¹—Gain new levels of cost predictability with the flexibility to scale your business as you grow

In this business climate, there are many advantages to a "pay-as-you-go" business model when the focus is on outcomes. Capital expenses are transformed into operating expenses, spread over time. Paying on a usage basis puts the focus on your business results rather than equipment or transactions

HP Jet Fusion 3D Printing Solutions are reinventing design and manufacturing. From accelerating design cycles, to printing full-color functional parts, ¹² to running efficient volume production with repeatable part quality.

Speed up your digital manufacturing transformation with HP 3DaaS:

- Predictable: usage-based price per successful build¹³ gives you certainty around your variable costs
- **Convenient:** gain new operational efficiencies by simplifying supplies ordering and inventory management
- Affordable: avoid up-front investment—and help align your costs directly with your revenue by paying monthly¹⁴

HP 3DaaS Base includes:

- Automatic replenishment of HP 3D supplies
- HP 3D Printing Care Services, including remote and onsite support
- Online dashboard for easy, convenient tracking of billing and usage

Contact your HP sales representative for more information or learn more at hp.com/go/3DaaS

Technical specifications

HP Jet Fusion 5200 Series 3D Printers

Printer performance	Technology	HP Multi Jet Fusion technology		
	Effective building volume	380 x 284 x 380 mm (15 x 11.2 x 15 in)		
	Building speed ¹⁵	Up to 5058 cm³/hr (309 in³/hr)		
	Layer thickness	0.08 mm (0.003 in)		
	Job processing resolution (x, y)	1200 dpi		
	Print resolution (x, y)	1200 dpi		
Dimensions (w x d x h)	Printer	2210 x 1268 x 1804 mm (87 x 50 x 71 in)		
	Shipping	2300 x 1325 x 2027 mm (91 x 52 x 80 in)		
	Operating area	3700 x 3700 x 2500 mm (146 x 146 x 99 in)		
Weight	Printer	880 kg (1940 lb)		
	Build Unit	140.5 kg (309.7 lb)		
	Shipping	1037.5 kg (2287 lb)		
Network ¹⁶	Gigabit Ethernet (10/100/1000Base-T), supporting the following standards: TCP/IP, DHCP (IPv4 only), TLS/SSL			
Processor and memory	Processor	Intel® Core™ i7 7770 (3.6 GHz, up to 4.2 GHz)		
	Memory	32 GB DDR4		
Hard disk	1TB HDD SED (AES-256 encrypted)			
	1TB SDD SED (AES-256 encrypted), TGC-0PAL 2.01 compliant			
Software	HP 3D Process Control, HP 3D Center, HP SmartStream 3D Build Manager, HP SmartStream 3D Command Center			
	Supported file formats	3MF, STL, OBJ, and VRML (v2.0)		
	Certified third-party software	Autodesk® Netfabb® with HP Workspace, Materialise Build Processor for HP Multi Jet Fusion technology, Siemens NX AM for HP Multi Jet Fusion technology		
Power	Consumption	12 kw ¹⁷		
	Requirements	380-415 V (line-to-line), 50 A max, 50/60 Hz 200-240 V (line-to-line), 80 A max, 50/60 Hz		
Certification and Statement	Safety	IEC 60950-1+A1+A2 compliant; United States and Canada (UL listed); EU (LVD and MD compliant, EN 60950-1, EN 12100-1, EN 60204-1, and EN 1010)		
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES EU (EMC Directive), Australia (ACMA), New Zealand (RSM), Korea (KCC)		
	Environmental statement	REACH		
Warranty & service coverage included	One-year limited hard	dware warranty		

HP Jet Fusion 5200 Series 3D Processing Stations

Features	Automated mixing and loading with ultrasonic sieving and accessible sieve mesh; semi-manual unpacking; high-temperature unpacking; automated external storage tank; optional trained self-service deep-cleaning; optional cooling unit			
Dimensions (w x d x h)	Processing station	2990 x 934 x 2400 mm (117.7 x 36.8 x 94.5 in)		
	Shipping	2389 x 1176 x 2182 mm (94 x 46.3 x 85.9 in)		
	Operating area	3190 x 2434 x 2500 mm (125.6 x 95.8 x 99 in)		
Weight	Processing station	485 kg (1069 lb)		
	Loaded	724 kg (1596 lb)		
	Shipping	620 kg (1366 lb)		
Power	Consumption	2.6 kW (typical)		
	Requirements	Input voltage single pase 200-240 V (line-to-line) 19 A max, 50/60 Hz (line-to-neutral) 14 A max, 50 Hz		
Certification and Statement	Safety	UL 2011, UL508A, NFPA 70 / NFPA 79, C22.2 NO. 14-13 compliant; United States and Canada (UL listed); EU (MD compliant, EN 60204-1, EN 12100-1, EN 1127-1, EN-ISO 11201 and EN 1010)		
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), Korea (KCC)		
	Environmental statement	REACH		
Warranty & service coverage included	One-year limited hardware warranty			

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: hp.com/go/learnaboutsupplies.

Learn more about HP Multi Jet Fusion technology at hp.com/go/3DPrint

Connect with an HP 3D Printing expert or sign up for the latest news about HP Jet Fusion 3D Printing:

hp.com/go/3Dcontactus

For more information, please visit

hp.com/go/3DPrinter5200





Ordering information

Printer	3FW25A	HP Jet Fusion 5200 3D Printer	
Accessories	3FW27A	HP Jet Fusion 5200 3D Processing Station	
	3FW29A	HP Jet Fusion 5200 3D Build Unit	
	4QG11A	HP Jet Fusion 5200 3D Automatic External Tank Starter Kit	
	M0P54B	HP Jet Fusion 5200/4200 Series 3D External Tank 5-units Bundle	
	5ZR21A	HP Jet Fusion 5200 3D Semaphore	
	4QG10A	HP Jet Fusion 5200 3D Natural Cooling Unit	
	5ZR22A	HP Jet Fusion 5200 3D Natural Cooling Unit Starter Kit	
	5ZR19A	HP Jet Fusion 5210 3D Printer Installation Kit	
	5ZR23A	HP Jet Fusion 5210 Pro 3D Printer Installation Kit	
	5ZR20A	HP Jet Fusion 5210 3D Processing Station Installation Kit	
	5ZR24A	HP Jet Fusion 5210 Pro 3D Processing Station Installation Kit	
	3WL35A	HP Jet Fusion 5200/4200 Series 3D Material Unloading Kit ¹⁸	
	3FW24A	HP Jet Fusion 5200/4200 Series 3D Material Loading 3-units Bundle ¹⁸	
	UB8N4E	HP Long Term Consumable Cleaning Kit Service for HP Jet Fusion 5200 Series 3D Processing Station/ Build Unit	
	HP OfficeJet Pro 7740 Wide Format All-in-One Printer	For more information on availability in your region, please check with your local HP 3D Printing Specialist	
Recommended third- party accessories	Hovmand Forklift 5200	Please consult with your local HP 3D Printing Specialist	
	Girbau DY130 Dyeing Solution ¹⁰	Please consult with your local HP 3D Printing Specialist	
Original HP printheads	F9K08A	HP 3D600 Printhead	

Eco Highlights



- · Cleaner, more comfortable experience—enclosed printing system, and automatic powder management¹⁹
- Minimizes waste due to industry-leading reusability of powder¹
- Take-back program for eligible supplies available in select countries20

Please recycle printing hardware and eligible printing supplies. Find out how at our website: hp.com/ecosolutions

- Industry-leading surplus powder reusability based on using HP 3D High Reusability PA 11 and PA 12 at recommended packing densities and compared to selective laser sintering (SLS) technology, offers excellent reusability without sacrificing mechanical performance. Tested according to ASTM D638, ASTM D256, ASTM D790, and ASTM D648 and using a 310 scanner. Testing monitored using statistical process controls.
 2. Low carbon footprint per printed HP Multi Jet Fusion part for runs of 1500 or less when compared to injection molded parts. Data comes from an ISO 14040/44 compliant and peer reviewed LCA study.
 3. Testing according to ASTM D638, ASTM D256, and ASTM D648 using HDT at different loads with a 30 scanner for dimensional accuracy. Testing monitored using statistical process controls.
 4. HP 30 High Reusability PA 11 powder is made with 100% renewable carbon content derived from castor plants grown without GMOs in arid areas that do not compete with food crops. HP 30 High Reusability PA 11 is made using renewable sources, and may be made together with certain non-renewable sources. A renewable resource is a natural organic resource that can be renewed at the same speed in which it is consumed. Renewable stands for the number of carbon atoms in the chain coming from renewables ources (in this case, castor seeds) according to ASTM D6866.
 5. For more information, see by convoloptatementsPA11, hp.com/go/statementsPA12, and hp.com/go/statementsPA12G6.
 6. Based on internal testing and public data for solutions on market as of April, 2016. Cost analysis based on: Standard solution configuration price, supplies price, and maintenance costs recommended by manufacturer. Cost criteria: printing 1.4 full build chambers of parts per day/5 days per week over 1 year of 30 cm² parts at 10% packing density on 15st print mode using HP 30 High Reusability PA 12 material, and the powder reusability ratio recommended by manufacturer, and printing under certain build conditions and part geometries.

- build conditions and part geometries.

 Compared to selective laser sintering (SLS) and fused deposition modeling (FDM) technologies, HP Multi Jet Fusion technology can reduce the overall energy requirements needed to attain full fusing and reduce the system requirements for large, vacuum-sealed ovens. In addition, HP Multi Jet Fusion technology uses less heating power than SLS systems for better material properties and
- overs. In addition, HP Multi Jet Fusion technology uses less heating power than SLS systems for better material properties and entered reuserates, minimizing waste.

 8. HP Jet Fusion 3 DP Intring Solutions using HP 3D High Reusability PA 12 Glass Beads provide up to 70% powder reusability ratio, producing functional parts batch after batch. For testing, material is aged in real printing conditions and powder is tracked by add space before (worst case for reusability). Parts are then made from each generation and tested for metchanical properties and accuracy.

 9. Nothing herein should be construed as constituting an additional HP warranty. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services and/or in a written agreement between you and HP for such HP products and services. HP believes that the information herein is correct based on the current state of scientific knowledge and as the date of its publication, however, to the maximum extent permitted by law HP EXPRESSEY DISCLAIMS ANY REPRESSENTATIONS AND WARRANTIES OF ANY KENPESSENTATIONS ANY HERDESCETT ON ANY MEROMATION PROTIDED. Except to the extent that exclusion is prevented by law, HP SHAIL NOT be liable for technical or editorial errors or omissions contained herein and the information herein is subject to change without notice.

- V1064A HP 3D700 5L Detailing Agent Other supplies V1066A HP 3D600 Cleaning Roll Original HP 3D V1R10A HP 3D High Reusability PA 12 30L (13 kg) high reusability V1R16A HP 3D High Reusability PA 12 300L (130 kg) materials²¹ V1R34A HP 3D High Reusability PA 12 Production Material 300L (130 kg)²² HP 3D High Reusability PA 12 1400L (600 kg)^{18,23,24} V1R20A V1R12A HP 3D High Reusability PA 11 30L (14 kg) V1R18A HP 3D High Reusability PA 11 300L (140 kg) V1R36A HP 3D High Reusability PA 11 Production Material 300L (140 kg)²² V1R24A HP 3D High Reusability PA 11 1700L (750 kg)18,23,24,25 V1R11A HP 3D High Reusability PA 12 Glass Beads 30L (15 kg) V1R22A HP 3D High Reusability PA 12 Glass Beads 300L (150 kg) V1R35A HP 3D High Reusability PA 12 Glass Beads Production Material 300L (150 kg)22 V1R23A HP 3D High Reusability PA 12 Glass Beads 1400L (700 kg)18,24 **Materials Certified** BASE Ultrasint® TPU01 for HP Jet Fusion 3D Please consult with your local HP Partner First 3D Printing Specialist **Printing⁹ HP Jet Fusion 3D** LIR4P2F HP Digital Manufacturing Site Readiness Assessment Tier **Solution Services** 1 Service for HP Jet Fusion 5200/4200 Series 3D Printing Solutions UB6Y0E HP Ready-to-print Service for HP Jet Fusion 5200 Series 3D Printing Solutions UB4P0E HP Digital Manufacturing Tech Transition Service for HP Jet Fusion 5200/4200 Series 3D Printing Solutions HP 3D Process Control Software Deployment Service for HP Jet UCOC4E Fusion 5200 Series 3D Printers UB9V8F HP 3 Year Next Business Day Onsite HW Support with DMR* Production Care for HP Jet Fusion 5200 3D Printer UB9X6F HP 3 Year Next Business Day Onsite HW Support Production Care for HP Jet Fusion 5200 3D Build Unit LIB7R3F HP 3 Year Next Business Day Onsite HW Support Foundation and Production Care for HP Jet Fusion 5200 3D Processing Station *Defective Media UB4P5E HP 1 Year Priority Care for HP Jet Fusion 5200/4200 Series 3D Retention Printing Solutions
- HP shall not be liable for damages or losses of any kind or nature that result from the use of or reliance upon this information. The HP let Fusion 3D Materials have not been designed, manufactured or tested by HP for compliance with legal requirements for 3D printed parts and their uses and recipients are responsible for making their own determination as to the suitability of HP let Fusion 3D Materials for their purposes and uses, ensure compliance with applicable laws and regulations, and be aware that other safety or performance considerations may arise when using, handling or storing the product.

 10. This product is only available in Europe and in the Americas. HP does not design, manufacture or sell the Girbau product or provide any warranty for the Girbau product, by the believes that the information herein is correct based on the current state of scientific knowledge and as the date of its publication, however, to the maximum extent permitted by law HP EXPRESSIV DISCLAIMS ANY REPRESSIVATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPILED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF HP IS AWARE OF SUCLAIMSA, NOS) WITH RESPECT TO ANY INFORMATION PROVIDED. Except to the extent that exclusion is prevented by law, HP shall not be liable for technical or editorial errors or ormissions, and damages or losses of any kind or nature that result from the use of or reliance upon this information, which is subject to change without notice. Recipients of the Girbau product are responsible for determining the suitability of Girbau products with HP let Fusion 3D products, ensuring compliance with applicable laws and regulations, and being aware that other safety or performance considerations may arise when using, handling or storing the product.

 11. HP 3DaaS Base is currently available in the US, Canada, Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Portugal, Spain, Sweden, and UK.

 12. Full-color parts

- 17. Lose of the Charles of a Dinthing Solution should be connected to the HP Cloud in order to enable the correct functioning of the printer and to offer better support.

 18. This product number is sold directly by HP.

 19. Compared to manual print retrieval process used by other powder-based technologies. The term "cleaner" does not refer to any indoor air quality requirements and/or consider related air quality regulations or testing that may be applicable.

 20. Printing supplies eligible for recycling vary by supply and by printer. Wist https://printingsupplies-legible for recycling vary by supply and by printer. Wist https://printingsupplies-legible for recycling vary by supply and by printer. Wist https://printingsupplies-legible for recycling vary by supply and by printer. Wist https://printingsupplies-legible for recycling vary by supply and by printer. Wist https://printingsupplies-legible to see how to participate and for HP Planet Partners program availability, program may not be available in your area. Where this program is not available, and for other consumables not included in the program, consult your local waste authorities on appropriate disposal.

 21. Liters refers to the materials container size and not the actual materials volume. Materials are measured in kilograms.

 22. Only compatible with the HP Jet Fusion 5210 Pro 30 Printing Solution.

 23. Only compatible with the HP Jet Fusion 5210 Pro 30 Printing Solution.

 24. Additional material management equipment tis required.

 25. Expected general availability first half of 2020.

Original HP agents

V1063A

HP 3D700 5L Fusing Agent

© Copyright 2019 - 2020 HP Development Company, L.P.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

